



BMW Annual Report Details

Application Id: 146295943

Particulars of the Occupier	
Annual report submit for year:	2026
Name of the authorized person:	KUMAR SHEKHAR
Name of HCF or CBMWTF:	C K Birla Healthcare Private Limited Brand C K Birla Hospital for Women
Address for Correspondence:	Gurgaon
Address of Facility:	J Block May field Garden Sector 51 Gurgaon Haryana
Tel. No.:	9888488898
Fax. No.:	-
E-mail ID:	kumar.shekhar@ckbhospital.com
URL of Website:	
GPS coordinates of HCF of CBMWTF:	
Ownership of HCF or CBMWTF:	Private
Status of Authorization under the BMW (Management and Handing) Rules:	
Authorization No.:	BMW25GUNO88829758
Valid Upto:	31/03/2027
Status of Consents under Water Act and Air Act.:	
Valid Upto:	31/03/2027

Health Care Facilities Details	
HCF/CBMWTF Type:	HCF
No. of Beds(for Bedded Hospital):	100
Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	Na
Licence Number:	88829758
Licence date of expiry:	31/03/2027

Quantity of Waste Generated	
Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	
Yellow Category:	12103
Red Category:	14600
White Category:	457
Blue Category:	4815
General Solid Waste:	22017

Storage, Treatment, Transportation, Processing and Disposal Facility Details

Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0
No of vehicles used for collection and transportation of BMW:	1
Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	BIOTIC WASTE MANAGEMENT
Details of the on-site storage facility:	
Size:	5*8
Capacity:	300
Provision of on-site storage:	Na

Disposal Facility			
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)
List is Empty			

Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum		
Type of waste	Quantity Generated	Where disposal
List is Empty		

BMW Management Committee	
Do you have BMW management committee:	no

Training Conducted on BMW Details	
Number of training conducted on BMW Management:	55
Number of personnel trained:	346
Number of personnel trained at the time of induction:	220
Number of personnel not undergone any training so far:	0
Whether standard manual for training is available:	yes
Any other information:	No

Details of the accident occurred	
No. of accident occurred:	0
Number of the persons affected:	0
Remedial Action taken:	0
Any Fatality occurred, details:	Na

Other Details	
Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	0
Details of Continuous online emission monitoring systems installed:	Na

Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	THROUGH HYPO CHLORIDE
It the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	0
Any other relevant information:	Na